



# malleable iron fittings

pl# mi 0707

**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL	SIZE	MASTER	INNER	BLK	GAL
<b>#121 ELBOWS 90 DEGREES</b>					<b>#131 REDUCING ELBOWS Cont.</b>				
1/8	600	50	3.86	5.30	1-1/2 x 1	80	10	17.81	22.33
1/4	420	35	3.68	5.04	1-1/2 x 1-1/4	60	15	17.81	22.33
3/8	540	45	3.68	5.04	2 x 3/8	-	-	-	-
1/2	400	50	2.76	3.33	2 x 1/2	60	15	26.19	31.64
3/4	210	35	3.33	4.01	2 x 3/4	60	10	26.19	31.64
1	120	20	5.86	7.51	2 x 1	56	14	25.68	31.02
1-1/4	80	20	9.48	11.57	2 x 1-1/4	40	10	25.68	31.02
1-1/2	60	10	12.48	15.23	2 x 1-1/2	40	10	22.56	27.09
2	32	8	21.43	25.41	2-1/2 x 1/2	40	10	62.97	99.19
2-1/2	18	6	46.51	63.33	2-1/2 x 3/4	40	10	62.97	99.19
3	14	7	69.37	106.44	2-1/2 x 1	32	8	62.97	99.19
3-1/2	9	-	222.81	372.97	2-1/2 x 1-1/4	24	8	62.97	99.19
4	6	-	147.49	184.24	2-1/2 x 1-1/2	24	8	62.97	99.19
5	4	-	326.99	432.89	2-1/2 x 2	24	8	61.89	88.31
6	2	-	430.13	619.10	3 x 1/2	28	-	119.66	163.88
8	1	-	1479.47	2017.87	3 x 3/4	28	-	-	-
<b>#131 REDUCING ELBOWS</b>					3 x 1	24	8	100.01	139.47
1/4 X 1/8	480	40	7.18	8.49	3 x 1-1/4	-	-	119.66	163.88
3/8 X 1/8	840	70	8.32	10.71	3 x 1-1/2	20	5	100.01	139.47
3/8 X 1/4	720	60	5.30	7.57	3 x 2	18	6	100.01	139.47
1/2 x 1/8	480	40	5.14	6.22	3 x 2-1/2	16	8	100.01	139.47
1/2 X 1/4	480	40	5.14	6.22	4 x 1-1/4	-	-	-	-
1/2 X 3/8	480	50	5.03	5.84	4 x 1-1/2	-	-	204.54	317.62
3/4 X 1/8	400	50	6.89	8.98	4 x 2	12	-	171.38	270.98
3/4 X 1/4	320	40	6.89	8.98	4 x 2-1/2	8	-	171.38	270.98
3/4 X 3/8	300	25	6.89	8.98	4 x 3	9	-	171.38	270.98
3/4 X 1/2	240	30	5.21	6.78	<b>#122 ELBOWS 45 DEGREES</b>				
1 X 1/8	-	-	-	-	1/8	600	50	5.58	7.60
1 X 1/4	240	40	10.88	14.08	1/4	360	30	5.70	6.77
1 X 3/8	240	40	10.88	14.08	3/8	600	50	5.19	6.74
1 X 1/2	180	30	7.09	9.19	1/2	400	50	4.48	5.19
1 X 3/4	150	25	6.67	8.67	3/4	240	40	5.47	7.24
1-1/4 X 1/4	-	-	-	-	1	120	20	6.99	8.31
1-1/4 X 3/8	-	-	-	-	1-1/4	80	20	12.24	15.18
1-1/4 X 1/2	140	35	14.40	17.78	1-1/2	60	10	15.10	18.10
1-1/4 X 3/4	120	15	12.33	17.44	2	36	12	22.74	27.00
1-1/4 X 1	80	10	10.86	14.52	2-1/2	27	9	64.19	91.46
1-1/2 X 1/4	-	-	-	-	3	20	10	83.33	132.97
1-1/2 X 3/8	120	30	-	-	3-1/2	-	-	-	-
1-1/2 X 1/2	100	25	18.20	22.80	4	6	-	161.89	222.86
1-1/2 X 3/4	90	15	17.81	22.33	5	4	-	536.64	696.87
					6	2	-	551.71	780.81

PL 07/07

PAGE 1

ALRO PRODUCTS INT'L LLC - 1034 LINWOOD ST - BROOKLYN, NY 11208 - TEL: 718-566-1000 - FAX: 718-566-1799

**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL
<b>#123 STREET ELBOWS 90 DEGREES</b>				
1/8	720	60	5.57	7.16
1/4	420	35	5.57	6.91
3/8	480	40	5.57	6.91
1/2	360	60	5.71	7.14
3/4	210	35	5.57	6.91
1				
1	120	30	8.02	9.43
1-1/4	75	25	12.24	15.86
1-1/2	54	9	16.32	19.52
2	30	10	26.47	33.84
2-1/2	18	9	65.34	91.78
3				
3	14	7	99.71	138.54
3-1/2	-	-	-	-
4	6	-	162.42	228.69
5	4	-	-	-
6	2	-	430.13	619.10
<b>#127 STREET ELBOWS 45 DEGREES</b>				
1/8	840	70	8.66	9.90
1/4	480	40	6.44	8.49
3/8	600	50	7.30	9.70
1/2	450	75	5.88	7.49
3/4	240	40	9.03	12.12
1				
1	150	25	10.48	14.97
1-1/4	80	10	18.13	22.44
1-1/2	60	10	22.51	27.18
2	36	12	37.96	46.70
2-1/2				
2-1/2	25	5	80.78	109.80
3	18	6	123.78	164.27
4	7	-	231.80	267.11
<b>#118 SIDE OUTLET ELBOWS</b>				
1/8	540	45	12.20	18.22
1/4	600	50	12.20	18.22
3/8	400	50	12.20	18.22
1/2	270	45	12.20	18.22
3/4	160	20	13.11	16.80
1				
1	80	20	25.60	27.41
1-1/4	45	15	29.02	37.78
1-1/2	36	12	35.97	48.18
2	24	12	61.82	73.36
<b>#124 TEES</b>				
1/8	960	80	5.88	7.57
1/4	600	50	5.56	6.57
3/8	360	30	5.56	6.57
1/2	240	40	3.59	4.04
3/4	140	35	5.08	6.79

SIZE	MASTER	INNER	BLK	GAL
<b>#124 TEES Cont.</b>				
1	80	20	8.97	11.11
1-1/4	56	14	14.57	17.56
1-1/2	45	15	18.13	21.92
2	30	10	30.82	36.58
2-1/2				
2-1/2	16	8	63.41	98.26
3	12	6	95.18	115.21
3-1/2	7	-	309.53	393.32
4	6	-	223.49	272.43
5	3	-	602.38	673.80
6	2	-	638.52	780.88
8	1	-	1731.21	2445.10
<b>#134 REDUCING TEES</b>				
1/4 X 1/8	300	25	7.38	9.70
3/8 X 1/8	480	60	7.38	9.70
3/8 X 1/4	480	40	7.38	9.70
1/2 X 1/8	360	60	-	-
1/2 X 1/4	300	25	6.08	7.81
1/2 X 3/8	270	45	7.64	9.18
3/4 X 1/8	-	-	-	-
3/4 X 1/4	200	25	8.62	9.74
3/4 X 3/8	180	30	9.16	9.74
3/4 X 1/2	180	30	7.86	9.38
1 X 1/4	150	25	11.00	15.89
1 X 3/8	120	20	12.49	16.19
1 X 1/2	120	15	11.38	13.16
1 X 3/4	100	25	9.99	13.16
1-1/4 X 1/4	-	-	-	-
1-1/4 X 3/8	80	20	18.13	21.53
1-1/4 X 1/2	80	20	18.13	21.53
1-1/4 X 3/4	72	12	15.89	20.36
1-1/4 X 1	64	16	15.89	20.36
1-1/2 X 1/8	-	-	-	-
1-1/2 X 1/4	-	-	-	-
1-1/2 X 3/8	72	18	21.24	26.64
1-1/2 X 1/2	72	18	21.24	26.64
1-1/2 X 3/4	60	10	20.10	25.20
1-1/2 X 1	52	13	20.10	25.20
1-1/2 X 1-1/4	45	15	24.34	30.34
2 X 3/8	40	10	-	-
2 X 1/2	40	10	31.46	40.77
2 X 3/4	40	10	31.46	36.76
2 X 1	36	12	31.46	36.76
2 X 1-1/4	32	8	33.26	42.76
2 X 1-1/2	32	8	33.26	42.76

PL 07/07

150 LB. STANDARD FITTINGS

SIZE	MASTER	INNER	BLK	GAL
<b>#134 REDUCING TEES Cont.</b>				
2-1/2 X 1/2	24	8	82.46	117.30
2-1/2 X 3/4	24	8	82.46	117.30
2-1/2 X 1	24	8	82.46	117.30
2-1/2 X 1-1/4	20	10	82.46	117.30
2-1/2 X 1-1/2	15	5	135.03	117.30
2-1/2 X 2	16	8	82.46	117.30
3 X 1/2	18	6	112.27	166.33
3 X 3/4	18	6	112.27	166.33
3 X 1	15	5	110.14	159.18
3 X 1-1/4	12	6	112.27	162.24
3 X 1-1/2	12	6	110.14	159.18
3 X 2	12	6	110.14	159.18
3 X 2-1/2	12	6	125.97	178.69
4 X 1/2	-	-	284.09	340.41
4 X 3/4	-	-	-	-
4 X 1	8	-	284.09	340.41
4 X 1-1/4	8	-	284.09	340.41
4 X 1-1/2	8	-	223.30	318.48
4 X 2	8	-	223.30	307.30
4 X 2-1/2	6	-	250.10	350.87
4 X 3	6	-	223.04	318.48
4 X 3-1/2	4	-	-	-
6 X 2	4	-	1064.47	1376.30
6 X 2-1/2	4	-	1064.47	1376.30
6 X 3	4	-	1064.47	1376.30
6 X 4	4	-	1064.47	1376.30
6 X 5	4	-	1064.47	1376.30
1/4 X 1/8 X 1/4	-	-	-	-
3/8 X 1/4 X 3/8	-	-	-	-
1/2 X 1/4 X 1/2	-	-	8.54	13.42
1/2 X 3/8 X 3/8	-	-	-	-
1/2 X 3/8 X 1/2	-	-	-	-
3/4 X 3/8 X 3/8	-	-	-	-
3/4 X 3/8 X 1/2	-	-	-	-
3/4 X 3/8 X 3/4	-	-	7.63	8.93
3/4 X 1/2 X 1/2	180	30	8.14	10.71
3/4 X 1/2 X 3/4	160	40	8.97	10.71
3/4 X 1/2 X 1	140	35	11.38	15.86
1 X 1/2 X 1/2	120	20	11.38	15.86
1 X 1/2 X 3/4	120	20	13.26	16.19
1 X 1/2 X 1	90	15	11.38	15.86
1 X 3/4 X 1/2	120	20	11.27	16.01
1 X 3/4 X 3/4	100	25	10.53	15.86

PL 0707

SIZE	MASTER	INNER	BLK	GAL
<b>#134 REDUCING TEES Cont.</b>				
1 X 3/4 X 1	90	15	11.38	15.86
1-1/4 X 1/4 X 1-1/4	-	-	-	-
1-1/4 X 1/2 X 1/2	100	25	20.21	24.77
1-1/4 X 1/2 X 3/4	100	25	20.21	24.77
1-1/4 X 1/2 X 1	80	20	20.21	24.77
1-1/4 X 1/2 X 1-1/4	60	10	20.73	24.77
1-1/4 X 3/4 X 1/2	100	25	19.34	24.78
1-1/4 X 3/4 X 3/4	80	10	20.73	27.12
1-1/4 X 3/4 X 1	80	10	19.34	25.97
1-1/4 X 3/4 X 1-1/4	60	10	18.84	23.41
1-1/4 X 1 X 1/2	72	18	19.29	24.70
1-1/4 X 1 X 3/4	72	18	18.22	24.77
1-1/4 X 1 X 1	72	18	18.22	24.77
1-1/4 X 1 X 1-1/4	60	10	21.12	25.21
1-1/4 X 1 X 1-1/2	56	14	-	-
1-1/2 X 1/2 X 1/2	-	-	31.86	36.67
1-1/2 X 1/2 X 3/4	80	20	31.86	36.67
1-1/2 X 1/2 X 1	72	18	31.86	36.67
1-1/2 X 1/2 X 1-1/4	60	15	25.69	34.22
1-1/2 X 1/2 X 1-1/2	48	12	24.77	34.22
1-1/2 X 3/4 X 1/2	80	20	39.48	45.20
1-1/2 X 3/4 X 3/4	72	18	39.48	45.20
1-1/2 X 3/4 X 1	-	-	27.87	31.20
1-1/2 X 3/4 X 1-1/4	60	15	39.48	45.20
1-1/2 X 3/4 X 1-1/2	48	12	24.77	31.20
1-1/2 X 1 X 1/2	60	15	24.77	31.20
1-1/2 X 1 X 3/4	60	15	24.77	31.20
1-1/2 X 1 X 1	60	15	24.77	31.20
1-1/2 X 1 X 1-1/4	56	14	24.77	31.20
1-1/2 X 1 X 1-1/2	56	14	24.77	31.20
1-1/2 X 1-1/4 X 1/2	64	8	24.77	31.20
1-1/2 X 1-1/4 X 3/4	64	8	24.77	31.20
1-1/2 X 1-1/4 X 1	56	14	21.24	30.60
1-1/2 X 1-1/4 X 1-1/4	48	12	33.47	43.58
1-1/2 X 1-1/4 X 1-1/2	40	10	33.47	43.58
1-1/2 X 1-1/4 X 2	30	15	38.68	44.10
2 X 1/2 X 1/2	-	-	-	-
2 X 1/2 X 2	32	8	38.68	44.10
2 X 3/4 X 1/2	-	-	-	-
2 X 3/4 X 3/4	48	12	37.92	43.26

PAGE 3

ALRO PRODUCTS INT'L LLC - 1034 LINWOOD ST - BROOKLYN, NY 11208 - TEL: 718-566-1000 - FAX: 718-566-1799

**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL
<b>#134 REDUCING TEES Cont.</b>				
2 x 3/4 x 1-1/2	-	-	-	-
2 x 3/4 x 2	32	8	37.92	43.26
2 x 1 x 1/2	-	-	-	-
2 x 1 x 3/4	-	-	-	-
2 x 1 x 1	48	12	38.68	44.10
2 x 1 x 1-1/4	-	-	38.68	44.10
2 x 1 x 1-1/2	40	10	38.68	44.10
2 x 1 x 2	32	8	38.68	44.10
2 x 1-1/4 x 1/2	-	-	-	-
2 x 1-1/4 x 3/4	-	-	-	-
2 x 1-1/4 x 1	40	10	55.88	64.69
2 x 1-1/4 x 1-1/4	36	6	38.68	44.08
2 x 1-1/4 x 1-1/2	32	8	42.40	51.33
2 x 1-1/4 x 2	26	13	40.21	51.33
2 x 1-1/2 x 1/4	-	-	-	-
2 x 1-1/2 x 1/2	-	-	-	-
2 x 1-1/2 x 3/4	40	10	41.14	47.57
2 x 1-1/2 x 1	40	10	37.92	43.38
2 x 1-1/2 x 1-1/4	32	8	38.68	44.10
2 x 1-1/2 x 1-1/2	32	8	37.92	42.76
2 x 1-1/2 x 2	30	10	38.68	44.10
2-1/2 x 3/4 x 2-1/2	-	-	-	-
2-1/2 x 1-1/2 x 1-1/2	-	-	178.56	249.67
2-1/2 x 1-1/2 x 2	-	-	135.03	196.47
2-1/2 x 1-1/2 x 2-1/2	-	-	120.27	196.47
2-1/2 x 2 x 1/2	-	-	-	-
2-1/2 x 2 x 1	-	-	-	-
2-1/2 x 2 x 1-1/4	-	-	-	-
2-1/2 x 2 x 1-1/2	-	-	-	-
2-1/2 x 2 x 2	-	-	82.57	117.30
2-1/2 x 2 x 2-1/2	-	-	82.71	129.07
3 x 2 x 2	-	-	159.84	243.00
3 x 2 x 3	-	-	161.09	266.87
<b>#134 BULLHEAD TEES</b>				
1/2 X 1/2 X 3/4	180	30	8.97	10.71
1/2 X 1/2 X 1	160	40	13.00	16.02
3/4 X 3/4 X 1	120	20	11.38	15.86
3/4 X 3/4 X 1-1/4	100	25	20.87	27.09
1 X 1 X 1-1/4	60	15	21.12	25.21

SIZE	MASTER	INNER	BLK	GAL
<b>#134 BULL HEAD TEES Cont.</b>				
1 x 1 x 1-1/2	60	15	31.57	42.89
1 x 1 x 2	48	12	38.68	44.03
1-1/4 x 1-1/4 x 1-1/2	56	14	24.77	31.11
1-1/4 x 1-1/4 x 2	40	10	38.68	44.03
1-1/2 x 1-1/2 x 2	32	8	38.68	44.03
1-1/2 x 1-1/2 x 2-1/2	20	-	-	-
2 x 2 x 2-1/2	16	8	82.71	129.07
2 x 2 x 3	16	-	181.74	253.24
2-1/2 x 2-1/2 x 3	-	-	180.69	266.89
3 x 3 x 4	-	-	383.23	511.00
<b>#119 SIDE OUTLET TEES</b>				
3/8	320	40	-	-
1/2	200	25	15.86	20.14
3/4	120	15	20.26	25.43
1	75	25	28.31	36.03
1-1/4	36	12	50.86	64.23
1-1/2	30	10	54.34	67.49
2	20	10	73.53	103.32
<b>#144 SERVICE TEES</b>				
1/4	-	-	-	-
3/8	-	-	15.60	20.67
1/2	240	40	12.91	19.59
3/4	150	25	17.49	21.14
1	80	20	23.11	33.44
1-1/4	60	15	38.14	55.73
1-1/2	36	12	52.84	75.44
2	24	8	100.00	148.53
3	-	-	289.18	306.82
<b>#128 CROSSES</b>				
1/8	360	30	13.29	16.77
1/4	480	40	11.27	16.77
3/8	300	25	11.49	16.77
1/2	180	30	13.08	16.80
3/4	120	20	15.96	20.49
1	60	15	19.63	28.29
1-1/4	40	20	31.90	40.93
1-1/2	36	18	39.51	49.68
2	20	10	65.40	94.74
2-1/2	12	-	115.30	180.86
3	8	-	171.99	243.58
4	4	-	351.02	492.10

PL 0707

PAGE 4

ALRO PRODUCTS INT'L LLC - 1034 LINWOOD ST - BROOKLYN, NY 11208 - TEL: 718-566-1000 - FAX: 718-566-1799

**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL
<b>#318 FLOOR FLANGES WITH HOLES</b>				
1/8	-	-	-	-
1/4	360	45	10.01	21.23
3/8	300	50	10.01	21.23
1/2	200	25	10.01	21.23
3/4	160	20	10.78	23.70
1	120	20	13.98	26.07
1-1/4	90	15	14.97	29.68
1-1/2	72	12	18.03	37.04
2	48	8	21.91	48.79
2-1/2	40	5	35.26	93.66
3	-	-	44.53	91.41
4	-	-	75.66	168.81
<b>#510 CAPS</b>				
1/8	1440	120	3.62	4.67
1/4	960	80	3.62	4.67
3/8	720	60	3.01	4.54
1/2	900	75	2.77	3.47
3/4	480	40	3.73	5.01
1	280	35	4.49	5.51
1-1/4	200	25	5.88	8.02
1-1/2	150	25	8.01	10.23
2	108	18	10.47	12.93
2-1/2	56	28	26.01	41.14
3	42	21	38.68	49.84
3-1/2	30	-	106.58	131.38
4	21	7	60.36	98.98
5	19	-	126.93	207.80
6	11	-	241.11	360.24
8	5	-	467.76	860.53
<b>#126 COUPLINGS-BANDED</b>				
1/8	840	70	5.42	6.29
1/4	480	40	4.59	5.86
3/8	600	50	4.59	5.86
1/2	480	40	3.73	4.70
3/4	300	50	4.41	5.43
1	150	25	6.66	8.93
1-1/4	128	16	8.54	12.32
1-1/2	72	18	11.41	14.03
2	48	12	16.63	20.46
2-1/2	32	8	45.27	62.52
3	24	8	61.16	83.56
3-1/2	15	-	167.09	250.18
4	12	6	122.00	177.48
5	9	-	253.12	408.92
6	2	-	327.29	462.71

SIZE	MASTER	INNER	BLK	GAL
<b>#135 REDUCING COUPLINGS</b>				
1/4 X 1/8	600	50	4.46	5.51
3/8 X 1/8	420	35	4.46	5.56
3/8 X 1/4	360	30	4.46	5.51
1/2 X 1/8	600	50	4.42	6.19
1/2 X 1/4	600	50	4.07	5.01
1/2 X 3/8	480	40	3.84	4.70
3/4 X 1/8	420	35	5.19	6.33
3/4 X 1/4	360	30	5.04	6.21
3/4 X 3/8	360	-	5.04	6.21
3/4 X 1/2	360	60	4.41	5.48
1 X 1/8	-	-	-	-
1 X 1/4	270	45	7.81	11.03
1 X 3/8	240	30	7.93	11.26
1 X 1/2	240	30	6.84	9.16
1 X 3/4	200	25	6.84	8.49
1-1/4 X 3/8	150	25	12.04	15.51
1-1/4 X 1/2	150	25	9.84	14.43
1-1/4 X 3/4	-	-	8.54	11.64
1-1/4 X 1	-	-	8.54	11.64
1-1/2 X 1/2	120	20	12.49	16.97
1-1/2 X 3/4	120	15	14.10	15.01
1-1/2 X 1	100	25	12.49	15.01
1-1/2 X 1-1/4	96	12	10.78	14.18
2 X 1/4	-	-	-	-
2 X 3/8	90	15	17.90	21.49
2 X 1/2	84	14	20.38	24.48
2 X 3/4	84	14	17.92	24.48
2 X 1	84	14	16.96	20.46
2 X 1-1/4	84	14	17.92	21.63
2 X 1-1/2	72	12	15.68	20.46
2-1/2 X 1/2	40	20	45.57	63.22
2-1/2 X 3/4	40	20	45.57	63.22
2-1/2 X 1	40	20	45.57	63.22
2-1/2 X 1-1/4	40	20	45.57	63.22
2-1/2 X 1-1/2	40	20	46.62	64.53
2-1/2 X 2	40	20	39.99	63.31
3 X 1/2	32	-	90.70	122.46
3 X 3/4	48	-	63.54	95.16
3 X 1	32	16	63.54	85.71
3 X 1-1/4	32	16	63.54	85.71
3 X 1-1/2	32	16	62.36	84.10

PL 0707

**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL	SIZE	MASTER	INNER	BLK	GAL
<b>#135 REDUCING COUPLINGS Cont.</b>					<b>#120 HEX BUSHINGS</b>				
3 x 2	32	16	51.70	79.49	1/4 X 1/8	1440	120	4.92	7.09
3 x 2-1/2	24	2	62.36	84.10	3/8 X 1/8	900	75	4.92	7.09
3-1/2 x 1-1/2	-	-	-	-	3/8 X 1/4	900	75	4.92	7.09
3-1/2 x 2	-	-	-	-	1/2 X 1/8	1200	100	4.92	7.09
3-1/2 x 2-1/2	-	-	-	-	1/2 X 1/4	1200	100	4.92	7.09
3-1/2 x 3	-	-	-	-	1/2 X 3/8	1200	100	4.92	7.09
4 x 1/2	18	-	156.22	250.13	3/4 X 1/8	600	50	4.82	7.09
4 x 3/4	18	-	156.22	250.13	3/4 X 1/4	600	50	4.77	7.30
4 X 1	18	-	124.99	200.11	3/4 X 3/8	600	50	4.82	8.13
4 x 1-1/4	18	6	124.99	200.11	3/4 X 1/2	600	50	4.46	6.57
4 x 1-1/2	18	6	124.99	200.11	1 X 1/8	400	50	5.58	7.70
4 x 2	18	6	124.99	182.01	1 X 1/4	400	50	5.98	8.67
4 x 2-1/2	18	6	124.99	182.01	1 X 3/8	400	50	6.13	13.58
4 X 3	18	6	124.99	182.01	1 X 1/2	400	50	4.59	7.86
4 x 3-1/2	18	6	-	-	1 X 3/4	400	50	4.59	7.43
6 x 2	-	-	423.36	593.76	1-1/4 X 1/8	240	30	7.76	12.51
6 x 2-1/2	6	-	423.36	593.76	1-1/4 X 1/4	240	30	7.76	12.51
6 x 3	8	-	313.01	446.97	1-1/4 X 3/8	240	30	6.89	12.51
6 x 4	8	-	313.01	446.97	1-1/4 X 1/2	240	30	6.59	10.99
6 x 5	6	-	423.36	593.76	1-1/4 X 3/4	240	30	5.92	10.01
8 x 6	-	-	928.81	1122.67	1-1/4 X 1	240	30	5.92	10.01
<b>#406 LOCKNUTS</b>					1-1/2 X 1/8	150	25	9.24	15.89
1/8	3000	250	3.07	3.12	1-1/2 X 1/4	150	25	9.10	15.89
1/4	1500	125	3.07	3.12	1-1/2 X 3/8	150	25	9.10	15.89
3/8	1500	125	4.27	4.79	1-1/2 X 1/2	150	25	7.51	14.53
1/2	1200	100	3.59	4.03	1-1/2 X 3/4	150	25	7.51	14.53
3/4	720	60	3.98	4.54	1-1/2 X 1	150	25	6.58	13.09
1	480	40	7.57	8.59	1-1/2 X 1-1/4	150	25	7.53	12.08
1-1/4	360	30	6.27	7.91	2 X 1/4	120	20	12.86	18.51
1-1/2	270	45	8.74	10.24	2 X 3/8	120	20	11.40	18.51
2	150	25	14.49	18.18	2 X 1/2	120	20	11.34	18.14
2-1/2	84	14	25.58	43.58	2 X 3/4	120	20	9.59	16.89
3	60	20	29.88	50.11	2 X 1	120	20	8.98	15.97
4	28	7	59.76	71.76	2 X 1-1/4	120	20	8.98	15.97
<b>#130 EXTENSION PIECES</b>					2 X 1-1/2	120	20	10.01	14.00
3/8	-	-	16.47	21.02	2-1/2 X 1/2	60	10	16.33	26.26
1/2	600	50	11.02	16.80	2-1/2 X 3/4	60	10	16.33	26.26
3/4	320	40	16.24	25.13	2-1/2 X 1/2	60	10	16.33	26.26
1	180	30	23.42	31.47	2-1/2 X 1-1/4	60	10	16.33	26.26
1-1/4	120	30	26.77	33.48	2-1/2 X 1-1/2	60	10	15.21	25.77
1-1/2	80	20	32.02	43.44	2-1/2 X 2	60	10	15.09	22.84
2	60	15	37.46	56.16					

PL 0707

**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL	SIZE	MASTER	INNER	BLK	GAL
<b>#120 HEX BUSHINGS Cont.</b>					<b>#414 UNIONS, BRASS SEAT Cont.</b>				
3 X 1/2	48	12	31.20	50.02	2-1/2	16	8	112.02	145.56
3 X 3/4	48	12	22.58	34.67	3	14	7	136.00	206.82
3 X 1	48	12	22.58	34.67	4	7	-	336.30	449.26
3 X 1-1/4	48	12	22.58	34.67	<b>#700 45 Y BRANCH</b>				
3 X 1-1/2	48	12	22.14	34.00	3/8	270	45	-	-
3 X 2	48	12	20.68	30.82	1/4	-	-	-	-
3 X 2-1/2	48	12	21.01	32.60	1/2	180	30	10.59	11.32
3-1/2 X 1-1/2	32	-	-	-	3/4	120	30	13.98	17.03
3-1/2 X 2	32	-	54.56	88.81	1	60	15	18.79	24.32
3-1/2 X 2-1/2	32	-	54.56	88.81	1-1/4	36	12	32.48	40.12
3-1/2 X 3	32	-	39.51	60.36	1-1/2	30	10	44.16	54.87
4 X 1/2	20	5	-	-	2	18	6	71.31	88.29
4 X 3/4	20	5	43.33	72.69	2-1/2	-	-	149.02	212.23
4 X 1/2	20	5	43.33	72.69	3	-	-	251.00	348.91
4 X 1-1/4	20	5	43.33	72.69	4	-	-	434.03	575.82
4 X 1-1/2	20	5	43.33	72.69	<b>#129 PLUGS, SQUARE HEAD CORED</b>				
4 X 2	20	5	41.01	64.12	1/8	3600	300	2.37	3.59
4 X 2-1/2	20	5	41.01	72.68	1/4	1800	150	2.37	3.86
4 X 3	20	5	41.01	67.87	3/8	1200	100	2.37	3.86
4 X 3-1/2	20	5	63.48	105.29	1/2	600	50	2.51	3.80
5 X 2	12	-	110.03	177.27	3/4	360	30	2.51	4.84
5 X 2-1/2	12	-	110.03	177.27	1	240	20	3.16	4.84
5 X 3	12	-	74.90	121.82	1-1/4	240	40	3.98	8.16
5 X 3-1/2	12	-	-	-	1-1/2	180	30	5.54	11.03
5 X 4	12	-	74.90	121.82	2	120	20	7.91	13.99
6 X 1-1/2	10	-	-	-	2-1/2	64	16	14.43	27.30
6 X 2	10	-	108.33	138.29	3	48	16	19.80	38.73
6 X 2-1/2	10	-	126.14	205.34	3-1/2	32	8	58.97	66.56
6 X 3	10	-	108.33	142.40	4	16	8	41.52	80.37
6 X 3-1/2	10	-	-	-	5	10	-	89.09	178.91
6 X 4	10	-	108.33	139.68	6	1	-	110.34	159.41
6 X 5	10	-	155.92	206.03	8	-	-	-	-
8 X 5	10	-	-	-	<b>#149 SQUARE HEAD PLUGS - COUNTERSUNK</b>				
8 X 6	10	-	342.44	383.16	1/4	-	-	-	-
<b>#414 UNIONS, BRASS SEAT</b>					3/8	-	-	-	-
1/8	360	30	19.88	23.47	1/2	-	-	-	-
1/4	240	20	18.93	22.68	3/4	-	-	-	-
3/8	240	20	12.76	15.09	1	-	-	-	-
1/2	200	50	12.20	15.23	1-1/4	-	-	-	-
3/4	140	35	14.54	18.09	1-1/2	-	-	-	-
1	80	20	18.99	22.49	2	-	-	-	-
1-1/4	60	15	25.19	30.59	2-1/2	-	-	-	-
1-1/2	40	10	30.77	39.18	3	-	-	-	-
2	24	6	46.48	52.31	3-1/2	-	-	-	-
					4	-	-	-	-

PL 0707

PAGE 7

ALRO PRODUCTS INT'L LLC - 1034 LINWOOD ST - BROOKLYN, NY 11208 - TEL: 718-566-1000 - FAX: 718-566-1799