



# **malleable iron fittings**

## **pl# mi 0310**



**MALLEABLE IRON PIPE FITTINGS**  
**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL	SIZE	MASTER	INNER	BLK	GAL
<b>#121 ELBOWS 90 DEGREES</b>					<b>#131 REDUCING ELBOWS Cont.</b>				
1/8	600	50	5.85	8.04	1-1/2 x 1	80	10	27.01	33.86
1/4	420	35	5.57	7.64	1-1/2 x 1-1/4	60	15	27.01	33.86
3/8	540	45	5.57	7.64	2 x 3/8	-	-	-	-
1/2	400	50	4.18	5.05	2 x 1/2	60	15	39.71	47.98
3/4	210	35	5.05	6.07	2 x 3/4	60	10	39.71	47.98
1	120	20	8.87	11.39	2 x 1	56	14	38.94	47.04
1-1/4	80	20	14.38	17.55	2 x 1-1/4	40	10	38.94	47.04
1-1/2	60	10	18.94	23.12	2 x 1-1/2	40	10	34.22	41.09
2	32	8	32.49	38.53	2-1/2 x 1/2	40	10	95.50	150.41
2-1/2	18	6	70.52	96.03	2-1/2 x 3/4	40	10	95.50	150.41
3	14	7	105.18	161.41	2-1/2 x 1	32	8	95.50	150.41
3-1/2	9	-	-	-	2-1/2 x 1-1/4	24	8	95.50	150.41
4	6	-	223.67	279.39	2-1/2 x 1-1/2	24	8	95.50	150.41
5	4	-	-	-	2-1/2 x 2	24	8	93.85	133.93
6	2	-	836.64	1184.05	3 x 1/2	28	-	181.47	248.52
8	1	-	-	-	3 x 3/4	28	-	-	-
<b>#131 REDUCING ELBOWS</b>					3 x 1	24	8	151.66	211.50
1/4 X 1/8	480	40	10.89	12.88	3 x 1-1/4	-	-	181.47	248.52
3/8 X 1/8	840	70	12.62	16.26	3 x 1-1/2	20	5	151.66	211.50
3/8 X 1/4	720	60	8.04	11.49	3 x 2	18	6	151.65	211.50
1/2 x 1/8	480	40	7.81	9.44	3 x 2-1/2	16	8	151.65	211.50
1/2 X 1/4	480	40	7.81	9.44	4 x 1-1/4	-	-	-	-
1/2 X 3/8	480	50	7.63	8.85	4 x 1-1/2	-	-	310.17	481.65
3/4 X 1/8	400	50	10.45	13.62	4 x 2	12	-	259.90	410.94
3/4 X 1/4	320	40	10.45	13.62	4 x 2-1/2	8	-	259.90	410.94
3/4 X 3/8	300	25	10.45	13.62	4 x 3	9	-	259.90	410.94
3/4 X 1/2	240	30	7.91	10.29	<b>#122 ELBOWS 45 DEGREES</b>				
1 X 1/8	-	-	-	-	1/8	600	50	8.46	11.52
1 X 1/4	240	40	16.50	21.35	1/4	360	30	8.64	10.26
1 X 3/8	240	40	16.50	21.35	3/8	600	50	7.86	10.22
1 X 1/2	180	30	10.74	13.93	1/2	400	50	6.82	7.86
1 X 3/4	150	25	10.12	13.14	3/4	240	40	8.32	10.99
1-1/4 X 1/4	-	-	-	-	1	120	20	10.61	12.61
1-1/4 X 3/8	-	-	-	-	1-1/4	80	20	18.56	23.02
1-1/4 X 1/2	140	35	21.84	26.97	1-1/2	60	10	22.90	27.44
1-1/4 X 3/4	120	15	18.69	26.44	2	36	12	34.48	40.94
1-1/4 X 1	80	10	16.47	22.02	2-1/2	27	9	97.33	138.70
1-1/2 X 1/4	-	-	-	-	3	20	10	126.37	201.65
1-1/2 X 3/8	120	30	-	-	3-1/2	-	-	-	-
1-1/2 X 1/2	100	25	27.60	34.57	4	6	-	245.51	337.96
1-1/2 X 3/4	90	15	27.01	33.86	5	4	-	-	-
					6	2	-	836.64	1184.05

PL 0310

**MALLEABLE IRON PIPE FITTINGS**  
**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL
<b>#123 STREET ELBOWS 90 DEGREES</b>				
1/8	720	60	8.45	10.85
1/4	420	35	8.45	10.49
3/8	480	40	8.45	10.49
1/2	360	60	8.66	10.83
3/4	210	35	8.45	10.49
1	120	30	12.15	14.30
1-1/4	75	25	18.56	24.04
1-1/2	54	9	24.74	29.60
2	30	10	40.14	51.32
2-1/2	18	9	99.09	139.18
3	14	7	151.21	210.09
3-1/2	-	-	-	-
4	6	-	246.28	346.80
5	4	-	-	-
6	2	-	652.26	938.82
<b>#127 STREET ELBOWS 45 DEGREES</b>				
1/8	840	70	13.13	15.01
1/4	480	40	9.76	12.88
3/8	600	50	11.09	14.70
1/2	450	75	8.90	11.35
3/4	240	40	13.69	18.37
1	150	25	15.89	22.71
1-1/4	80	10	27.50	34.03
1-1/2	60	10	34.14	41.21
2	36	12	57.57	70.81
2-1/2	25	5	122.51	166.50
3	18	6	187.70	249.11
4	7	-	351.51	405.04
<b>#118 SIDE OUTLET ELBOWS</b>				
1/8	540	45	18.49	27.62
1/4	600	50	18.49	27.62
3/8	400	50	18.49	27.62
1/2	270	45	18.49	27.62
3/4	160	20	19.88	25.48
1	80	20	38.82	41.57
1-1/4	45	15	44.01	57.29
1-1/2	36	12	54.55	73.06
2	24	12	93.74	111.23
<b>#124 TEES</b>				
1/8	960	80	8.93	11.49
1/4	600	50	8.44	9.96
3/8	360	30	8.44	9.96
1/2	240	40	5.45	6.13
3/4	140	35	7.71	10.30

SIZE	MASTER	INNER	BLK	GAL
<b>#124 TEES Cont.</b>				
1	80	20	13.61	16.85
1-1/4	56	14	22.11	26.63
1-1/2	45	15	27.50	33.24
2	30	10	46.74	55.48
2-1/2	16	8	96.15	149.01
3	12	6	144.34	174.72
3-1/2	7	-	486.15	798.81
4	6	-	338.90	413.13
5	3	-	-	-
6	2	-	968.28	1184.16
8	1	-	-	-
<b>#134 REDUCING TEES</b>				
1/4 X 1/8	300	25	11.20	14.70
3/8 X 1/8	480	60	11.20	14.70
3/8 X 1/4	480	40	11.20	14.70
1/2 X 1/8	360	60	-	-
1/2 X 1/4	300	25	9.22	11.84
1/2 X 3/8	270	45	11.60	15.05
3/4 X 1/8	-	-	-	-
3/4 X 1/4	200	25	13.07	14.78
3/4 X 3/8	180	30	13.89	14.78
3/4 X 1/2	180	30	11.91	14.22
1 X 1/4	150	25	16.68	24.11
1 X 3/8	120	20	18.95	24.54
1 X 1/2	120	15	15.16	19.96
1 X 3/4	100	25	15.16	19.96
1-1/4 X 1/4	-	-	-	-
1-1/4 X 3/8	80	20	27.50	41.12
1-1/4 X 1/2	80	20	27.50	32.65
1-1/4 X 3/4	72	12	24.11	30.87
1-1/4 X 1	64	16	24.11	30.87
1-1/2 X 1/8	-	-	-	-
1-1/2 X 1/4	-	-	-	-
1-1/2 X 3/8	72	18	32.21	40.39
1-1/2 X 1/2	72	18	32.20	40.39
1-1/2 X 3/4	60	10	30.48	38.22
1-1/2 X 1	52	13	30.48	38.21
1-1/2 X 1-1/4	45	15	37.55	46.00
2 X 3/8	40	10	-	-
2 X 1/2	40	10	47.72	66.88
2 X 3/4	40	10	47.72	55.73
2 X 1	36	12	47.72	55.73
2 X 1-1/4	32	8	50.44	64.84
2 X 1-1/2	32	8	50.44	64.84

PL 0310

ALRO PRODUCTS INT'L LLC - 1034 LINWOOD ST - BROOKLYN, NY 11208 - TEL: 718-566-1000 - FAX: 718-566-1799

**MALLEABLE IRON PIPE FITTINGS**  
**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL
<b>#134 REDUCING TEES Cont.</b>				
2-1/2 X 1/2	24	8	125.04	177.89
2-1/2 X 3/4	24	8	125.04	177.89
2-1/2 X 1	24	8	125.04	177.89
2-1/2 X 1-1/4	20	10	125.04	177.89
2-1/2 X 1-1/2	15	5	125.04	177.89
2-1/2 X 2	16	8	125.04	177.89
3 X 1/2	18	6	170.26	252.21
3 X 3/4	18	6	170.21	252.21
3 X 1	15	5	167.02	241.38
3 X 1-1/4	12	6	170.26	246.03
3 X 1-1/2	12	6	167.02	241.38
3 X 2	12	6	167.02	241.38
3 X 2-1/2	12	6	191.03	270.97
4 X 1/2	-	-	430.81	516.21
4 X 3/4	-	-	-	-
4 X 1	8	-	430.81	516.21
4 X 1-1/4	8	-	430.81	516.21
4 X 1-1/2	8	-	338.62	482.96
4 X 2	8	-	338.21	466.00
4 X 2-1/2	6	-	379.27	532.01
4 X 3	6	-	338.21	482.96
4 X 3-1/2	4	-	-	-
6 X 2	4	-	1614.21	2087.09
6 X 2-1/2	4	-	1614.21	2087.09
6 X 3	4	-	1614.21	2087.09
6 X 4	4	-	1614.21	2087.09
6 X 5	4	-	1614.21	2087.09
1/4 X 1/8 X 1/4	-	-	-	-
3/8 X 1/4 X 3/8	-	-	-	-
1/2 X 1/4 X 1/2	-	-	12.94	20.35
1/2 X 3/8 X 3/8	-	-	-	-
1/2 X 3/8 X 1/2	-	-	-	-
3/4 X 3/8 X 3/8	-	-	-	-
3/4 X 3/8 X 1/2	-	-	-	-
3/4 X 3/8 X 3/4	-	-	11.57	13.54
3/4 X 1/2 X 1/2	180	30	12.34	16.26
3/4 X 1/2 X 3/4	160	40	13.61	16.26
3/4 X 1/2 X 1	140	35	14.48	24.04
1 X 1/2 X 1/2	120	20	17.27	24.04
1 X 1/2 X 3/4	120	20	20.12	24.54
1 X 1/2 X 1	90	15	17.27	24.04
1 X 3/4 X 1/2	120	20	17.09	24.29
1 X 3/4 X 3/4	100	25	15.97	24.04

SIZE	MASTER	INNER	BLK	GAL
<b>#134 REDUCING TEES Cont.</b>				
1 X 3/4 X 1	90	15	17.27	24.04
1-1/4 X 1/4 X 1-1/4	-	-	-	-
1-1/4 X 1/2 X 1/2	100	25	30.66	37.56
1-1/4 X 1/2 X 3/4	100	25	30.66	37.56
1-1/4 X 1/2 X 1	80	20	30.66	37.55
1-1/4 X 1/2 X 1-1/4	60	10	31.45	37.55
1-1/4 X 3/4 X 1/2	100	25	31.45	37.57
1-1/4 X 3/4 X 3/4	80	10	31.45	41.12
1-1/4 X 3/4 X 1	80	10	29.32	39.39
1-1/4 X 3/4 X 1-1/4	60	10	28.57	35.51
1-1/4 X 1 X 1/2	72	18	29.26	37.45
1-1/4 X 1 X 3/4	72	18	27.63	37.55
1-1/4 X 1 X 1	72	18	27.63	37.55
1-1/4 X 1 X 1-1/4	60	10	32.03	38.23
1-1/4 X 1 X 1-1/2	56	14	-	-
1-1/2 X 1/2 X 1/2	-	-	48.30	55.61
1-1/2 X 1/2 X 3/4	80	20	48.30	52.27
1-1/2 X 1/2 X 1	72	18	48.30	55.61
1-1/2 X 1/2 X 1-1/4	60	15	38.95	51.90
1-1/2 X 1/2 X 1-1/2	48	12	37.55	51.90
1-1/2 X 3/4 X 1/2	80	20	59.87	68.53
1-1/2 X 3/4 X 3/4	72	18	59.87	68.53
1-1/2 X 3/4 X 1	-	-	42.27	47.30
1-1/2 X 3/4 X 1-1/4	60	15	59.86	68.53
1-1/2 X 3/4 X 1-1/2	48	12	37.56	47.30
1-1/2 X 1 X 1/2	60	15	37.56	47.30
1-1/2 X 1 X 3/4	60	15	37.56	47.30
1-1/2 X 1 X 1	60	15	37.55	47.30
1-1/2 X 1 X 1-1/4	56	14	37.55	47.30
1-1/2 X 1 X 1-1/2	56	14	37.55	47.30
1-1/2 X 1-1/4 X 1/2	64	8	37.56	47.30
1-1/2 X 1-1/4 X 3/4	64	8	37.55	47.30
1-1/2 X 1-1/4 X 1	56	14	32.20	46.39
1-1/2 X 1-1/4 X 1-1/4	48	12	50.76	66.10
1-1/2 X 1-1/4 X 1-1/2	40	10	50.76	66.10
1-1/2 X 1-1/4 X 2	30	15	58.66	66.88
2 X 1/2 X 1/2	-	-	-	-
2 X 1/2 X 2	32	8	58.66	66.88
2 X 3/4 X 1/2	-	-	-	-
2 X 3/4 X 3/4	48	12	57.50	65.61

PL 0310

PAGE 3

**MALLEABLE IRON PIPE FITTINGS**  
**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL
<b>#134 REDUCING TEES Cont.</b>				
2 x 3/4 x 1-1/2	-	-	-	-
2 x 3/4 x 2	32	8	57.50	65.61
2 x 1 x 1/2	-	-	-	-
2 x 1 x 3/4	-	-	-	-
2 x 1 x 1	48	12	58.66	66.88
2 x 1 x 1-1/4	-	-	58.66	66.88
2 x 1 x 1-1/2	40	10	58.66	66.88
2 x 1 x 2	32	8	58.66	66.88
2 x 1-1/4 x 1/2	-	-	-	-
2 x 1-1/4 x 3/4	-	-	-	-
2 x 1-1/4 x 1	40	10	84.73	98.10
2 x 1-1/4 x 1-1/4	36	6	58.66	66.88
2 x 1-1/4 x 1-1/2	32	8	64.31	77.84
2 x 1-1/4 x 2	26	13	60.98	77.84
2 x 1-1/2 x 1/4	-	-	-	-
2 x 1-1/2 x 1/2	-	-	-	-
2 x 1-1/2 x 3/4	40	10	62.38	72.15
2 x 1-1/2 x 1	40	10	57.50	65.80
2 x 1-1/2 x 1-1/4	32	8	58.66	66.88
2 x 1-1/2 x 1-1/2	32	8	57.50	64.84
2 x 1-1/2 x 2	30	10	58.66	66.88
2-1/2 x 3/4 x 2-1/2	-	-	-	-
2-1/2 x 1-1/2 x 1-1/2	-	-	270.78	378.62
2-1/2 x 1-1/2 x 2	-	-	204.76	297.94
2-1/2 x 1-1/2 x 2-1/2	-	-	182.38	297.94
2-1/2 x 2 x 1/2	-	-	-	-
2-1/2 x 2 x 1	-	-	-	-
2-1/2 x 2 x 1-1/4	-	-	-	-
2-1/2 x 2 x 1-1/2	-	-	-	-
2-1/2 x 2 x 2	-	-	125.21	178.24
2-1/2 x 2 x 2-1/2	-	-	125.43	195.72
3 x 2 x 2	-	-	242.37	368.47
3 x 2 x 3	-	-	244.29	404.69
<b>#134 BULLHEAD TEES</b>				
1/2 X 1/2 X 3/4	180	30	13.60	16.26
1/2 X 1/2 X 1	160	40	19.72	24.30
3/4 X 3/4 X 1	120	20	17.27	24.04
3/4 X 3/4 X 1-1/4	100	25	31.66	41.07
1 X 1 X 1-1/4	60	15	32.03	38.23

PL 0310

SIZE	MASTER	INNER	BLK	GAL
<b>#134 BULL HEAD TEES Cont.</b>				
1 x 1 x 1-1/2	60	15	47.87	65.04
1 x 1 x 2	48	12	58.66	66.76
1-1/4 x 1-1/4 x 1-1/2	56	14	37.55	47.17
1-1/4 x 1-1/4 x 2	40	10	58.66	66.76
1-1/2 x 1-1/2 x 2	32	8	58.66	66.88
1-1/2 x 1-1/2 x 2-1/2	20	-	-	-
2 x 2 x 2-1/2	16	8	125.43	195.72
2 x 2 x 3	16	-	275.61	384.02
2-1/2 x 2-1/2 x 3	-	-	274.01	404.71
3 x 3 x 4	-	-	581.15	774.89
<b>#119 SIDE OUTLET TEES</b>				
3/8	320	40	-	-
1/2	200	25	24.04	30.55
3/4	120	15	30.71	38.56
1	75	25	42.93	54.63
1-1/4	36	12	77.14	97.29
1-1/2	30	10	82.40	102.35
2	20	10	111.51	156.68
<b>#144 SERVICE TEES</b>				
1/4	-	-	-	-
3/8	-	-	23.66	-
1/2	240	40	19.57	29.70
3/4	150	25	26.53	32.05
1	80	20	35.04	50.71
1-1/4	60	15	57.83	84.51
1-1/2	36	12	80.14	114.40
2	24	8	152.24	225.22
3	-	-	-	465.28
<b>#128 CROSSES</b>				
1/8	360	30	20.15	25.44
1/4	480	40	17.09	25.43
3/8	300	25	17.44	25.43
1/2	180	30	19.84	25.49
3/4	120	20	24.21	31.07
1	60	15	29.78	42.89
1-1/4	40	20	48.37	62.06
1-1/2	36	18	59.90	75.34
2	20	10	99.18	143.67
2-1/2	12	-	174.84	274.26
3	8	-	260.81	369.38
4	4	-	532.31	746.23

PAGE 4

**MALLEABLE IRON PIPE FITTINGS**  
**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL
<b>#318 FLOOR FLANGES WITH HOLES</b>				
1/8	-	-	-	-
1/4	360	45	15.18	32.19
3/8	300	50	15.18	32.19
1/2	200	25	15.18	32.19
3/4	160	20	16.35	35.94
1	120	20	21.21	39.53
1-1/4	90	15	22.71	45.00
1-1/2	72	12	24.76	56.17
2	48	8	32.28	73.98
2-1/2	40	5	53.48	142.02
3	-	-	67.52	138.63
4	-	-	114.74	255.99
<b>#510 CAPS</b>				
1/8	1440	120	5.48	7.07
1/4	960	80	5.48	7.07
3/8	720	60	4.56	6.87
1/2	900	75	4.19	5.27
3/4	480	40	5.66	7.61
1	280	35	6.82	8.35
1-1/4	200	25	8.93	12.15
1-1/2	150	25	12.14	15.51
2	108	18	15.88	19.60
2-1/2	56	28	39.44	62.38
3	42	21	58.66	75.57
3-1/2	30	-	-	-
4	21	7	91.53	150.11
5	19	-	-	-
6	11	-	365.62	546.29
8	5	-	-	-
<b>#126 COUPLINGS-BANDED</b>				
1/8	840	70	8.22	9.53
1/4	480	40	6.96	8.87
3/8	600	50	6.96	8.87
1/2	480	40	5.66	7.13
3/4	300	50	6.68	8.23
1	150	25	10.11	13.56
1-1/4	128	16	12.94	18.68
1-1/2	72	18	17.30	21.27
2	48	12	25.20	31.04
2-1/2	32	8	68.64	94.81
3	24	8	92.74	126.71
3-1/2	15	-	-	-
4	12	6	185.00	269.15
5	9	-	-	-
6	2	-	496.32	701.68

SIZE	MASTER	INNER	BLK	GAL
<b>#135 REDUCING COUPLINGS</b>				
1/4 X 1/8	600	50	6.77	8.35
3/8 X 1/8	420	35	6.77	8.44
3/8 X 1/4	360	30	6.77	8.35
1/2 X 1/8	600	50	6.71	9.39
1/2 X 1/4	600	50	6.17	7.61
1/2 X 3/8	480	40	5.83	7.13
3/4 X 1/8	420	35	7.86	9.61
3/4 X 1/4	360	30	7.64	9.43
3/4 X 3/8	360	-	7.64	9.43
3/4 X 1/2	360	60	6.68	8.32
1 X 1/8	-	-	-	-
1 X 1/4	270	45	11.84	16.71
1 X 3/8	240	30	12.02	17.07
1 X 1/2	240	30	10.36	13.89
1 X 3/4	200	25	10.36	12.88
1-1/4 X 3/8	150	25	-	23.53
1-1/4 X 1/2	150	25	14.91	21.87
1-1/4 X 3/4	-	-	12.94	17.66
1-1/4 X 1	-	-	12.94	17.66
1-1/2 X 1/2	120	20	18.95	25.73
1-1/2 X 3/4	120	15	21.37	22.76
1-1/2 X 1	100	25	18.95	22.76
1-1/2 X 1-1/4	96	12	16.35	21.51
2 X 1/4	-	-	-	-
2 X 3/8	90	15	27.14	32.59
2 X 1/2	84	14	30.90	37.13
2 X 3/4	84	14	27.18	37.13
2 X 1	84	14	25.72	31.04
2 X 1-1/4	84	14	27.18	32.80
2 X 1-1/2	72	12	23.77	31.04
2-1/2 X 1/2	40	20	-	-
2-1/2 X 3/4	40	20	69.11	95.88
2-1/2 X 1	40	20	69.11	95.88
2-1/2 X 1-1/4	40	20	69.11	95.88
2-1/2 X 1-1/2	40	20	70.69	97.86
2-1/2 X 2	40	20	60.65	96.01
3 X 1/2	32	-	184.21	185.70
3 X 3/4	48	-	96.34	144.31
3 X 1	32	16	96.34	129.98
3 X 1-1/4	32	16	96.34	129.98
3 X 1-1/2	32	16	94.55	127.52

PL 0310

**MALLEABLE IRON PIPE FITTINGS**  
**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL	SIZE	MASTER	INNER	BLK	GAL
<b>#135 REDUCING COUPLINGS Cont.</b>					<b>#120 HEX BUSHINGS</b>				
3 x 2	32	16	78.40	120.54	1/4 X 1/8	1440	120	7.46	10.76
3 x 2-1/2	24	2	94.55	127.52	3/8 X 1/8	900	75	7.46	10.76
3-1/2 x 1-1/2	-	-	-	-	3/8 X 1/4	900	75	7.46	10.76
3-1/2 x 2	-	-	-	-	1/2 X 1/8	1200	100	7.46	10.76
3-1/2 x 2-1/2	-	-	-	-	1/2 X 1/4	1200	100	7.46	10.76
3-1/2 x 3	-	-	-	-	1/2 X 3/8	1200	100	7.46	10.76
4 x 1/2	18	-	236.89	379.31	3/4 X 1/8	600	50	7.32	10.76
4 x 3/4	18	-	236.89	379.31	3/4 X 1/4	600	50	7.32	11.09
4 X 1	18	-	189.54	303.45	3/4 X 3/8	600	50	7.32	12.33
4 x 1-1/4	18	6	189.54	303.45	3/4 X 1/2	600	50	6.77	9.96
4 x 1-1/2	18	6	189.54	303.45	1 X 1/8	400	50	8.46	11.70
4 x 2	18	6	189.54	276.01	1 X 1/4	400	50	9.06	13.14
4 x 2-1/2	18	6	189.54	276.01	1 X 3/8	400	50	9.31	20.59
4 X 3	18	6	189.54	276.01	1 X 1/2	400	50	6.96	11.91
4 x 3-1/2	18	6	-	-	1 X 3/4	400	50	6.96	11.26
6 x 2	-	-	642.00	900.40	1-1/4 X 1/8	240	30	10.98	18.97
6 x 2-1/2	6	-	642.00	900.40	1-1/4 X 1/4	240	30	11.78	18.97
6 x 3	8	-	474.65	677.80	1-1/4 X 3/8	240	30	10.45	18.97
6 x 4	8	-	474.65	677.80	1-1/4 X 1/2	240	30	10.00	16.67
6 x 5	6	-	642.00	900.40	1-1/4 X 3/4	240	30	8.97	15.18
8 x 6	-	-	-	-	1-1/4 X 1	240	30	8.97	15.18
<b>#406 LOCKNUTS</b>					1-1/2 X 1/8	150	25	13.80	24.11
1/8	3000	250	4.66	4.74	1-1/2 X 1/4	150	25	13.80	24.11
1/4	1500	125	4.66	4.74	1-1/2 X 3/8	150	25	13.80	24.11
3/8	1500	125	6.48	7.26	1-1/2 X 1/2	150	25	11.39	22.03
1/2	1200	100	5.45	6.12	1-1/2 X 3/4	150	25	11.39	22.03
3/4	720	60	6.03	6.88	1-1/2 X 1	150	25	9.99	19.85
1	480	40	11.48	13.02	1-1/2 X 1-1/4	150	25	11.41	18.33
1-1/4	360	30	9.52	12.00	2 X 1/4	120	20	19.49	28.07
1-1/2	270	45	13.24	15.53	2 X 3/8	120	20	17.28	28.06
	150	25	21.98	27.57	2 X 1/2	120	20	17.19	27.51
2-1/2	84	14	38.80	66.09	2 X 3/4	120	20	14.53	25.62
3	60	20	60.68	75.98	2 X 1	120	20	13.62	24.22
4	28	7	90.63	108.83	2 X 1-1/4	120	20	13.62	24.22
<b>#130 EXTENSION PIECES</b>					2 X 1-1/2	120	20	15.18	21.23
3/8	-	-	24.99	31.88	2-1/2 X 1/2	60	10	24.77	44.88
1/2	600	50	16.70	25.48	2-1/2 X 3/4	60	10	24.76	39.82
3/4	320	40	24.62	38.12	2-1/2 X 1	60	10	24.76	39.82
1	180	30	35.51	47.72	2-1/2 X 1-1/4	60	10	24.76	39.82
1-1/4	120	30	40.60	50.78	2-1/2 X 1-1/2	60	10	23.06	39.09
1-1/2	80	20	48.56	65.86	2-1/2 X 2	60	10	22.87	34.64
2	60	15	56.81	85.17					

PL 0310

**MALLEABLE IRON PIPE FITTINGS**  
**150 LB. STANDARD FITTINGS**

SIZE	MASTER	INNER	BLK	GAL
<b>#120 HEX BUSHINGS Cont.</b>				
3 X 1/2	48	12	47.30	75.85
3 X 3/4	48	12	34.24	52.59
3 X 1	48	12	34.24	52.59
3 X 1-1/4	48	12	34.24	52.59
3 X 1-1/2	48	12	33.57	51.55
3 X 2	48	12	31.36	46.74
3 X 2-1/2	48	12	31.86	49.44
3-1/2 X 1-1/2	32	-	-	-
3-1/2 X 2	32	-	-	-
3-1/2 X 2-1/2	32	-	-	-
3-1/2 X 3	32	-	-	-
4 X 1/2	20	5	-	-
4 X 3/4	20	5	65.71	110.22
4 X 1/2	20	5	65.71	110.22
4 X 1-1/4	20	5	65.71	110.22
4 X 1-1/2	20	5	65.71	110.22
4 X 2	20	5	62.18	97.22
4 X 2-1/2	20	5	62.18	110.21
4 X 3	20	5	62.18	102.93
4 X 3-1/2	20	5	62.18	159.67
5 X 2	12	-	-	-
5 X 2-1/2	12	-	-	-
5 X 3	12	-	-	-
5 X 3-1/2	12	-	-	-
5 X 4	12	-	-	-
6 X 1-1/2	10	-	-	-
6 X 2	10	-	164.27	209.71
6 X 2-1/2	10	-	191.28	311.38
6 X 3	10	-	164.27	215.95
6 X 3-1/2	10	-	-	-
6 X 4	10	-	164.27	211.82
6 X 5	10	-	236.44	312.45
8 X 5	10	-	-	-
8 X 6	10	-	-	-
<b>#414 UNIONS, BRASS SEAT</b>				
1/8	360	30	30.16	35.61
1/4	240	20	28.70	34.38
3/8	240	20	19.35	22.87
1/2	200	50	18.49	23.11
3/4	140	35	22.04	27.43
1	80	20	28.80	34.12
1-1/4	60	15	38.20	46.38
1-1/2	40	10	46.66	59.40
2	24	6	70.49	79.33

SIZE	MASTER	INNER	BLK	GAL
<b>#414 UNIONS, BRASS SEAT Cont.</b>				
2-1/2	16	8	169.87	220.73
3	14	7	206.23	313.64
4	7	-	509.98	681.27
<b>#700 45 Y BRANCH</b>				
3/8	270	45	-	-
1/4	-	-	-	-
1/2	180	30	16.05	17.16
3/4	120	30	21.21	18.47
1	60	15	28.49	36.89
1-1/4	36	12	49.26	60.84
1-1/2	30	10	66.96	83.20
2	18	6	108.13	133.88
2-1/2	-	-	225.98	529.11
3	-	-	380.64	529.11
4	-	-	658.19	873.19
<b>#129 PLUGS, SQUARE HEAD CORED</b>				
1/8	3600	300	3.59	5.45
1/4	1800	150	3.37	5.51
3/8	1200	100	3.37	5.51
1/2	600	50	3.80	5.77
3/4	360	30	3.80	7.34
1	240	20	4.79	7.34
1-1/4	240	40	6.04	12.38
1-1/2	180	30	8.40	15.71
2	120	20	12.00	19.95
2-1/2	64	16	21.87	38.91
3	48	16	30.02	55.20
3-1/2	32	8	-	-
4	16	8	62.96	114.56
5	10	-	-	-
6	1	-	167.33	227.24
8	-	-	-	-
<b>#149 SQUARE HEAD PLUGS - COUNTERSUNK</b>				
1/4	-	-	-	-
3/8	-	-	-	-
1/2	-	-	-	-
3/4	-	-	-	-
1	-	-	-	-
1-1/4	-	-	-	-
1-1/2	-	-	-	-
2	-	-	-	-
2-1/2	-	-	-	-
3	-	-	-	-
3-1/2	-	-	-	-
4	-	-	-	-

PL 0310

